

# Setup Module

- [setup-navigation-menus-create](#)
- [setup-navigation-menus-id-update](#)
- [setup-navigation-menus-id](#)
- [setup-navigation-menus](#)
- [setup-notifications-create](#)
- [setup-notifications-id-update](#)
- [setup-notifications-id](#)
- [setup-notifications](#)
- [setup-users-create](#)
- [setup-users-id-password](#)
- [setup-users-id-update](#)
- [setup-users-id](#)
- [setup-users](#)

# setup-navigation-menus-create

## Navigation Menu – Create View

**Module:** Setup

**Screen Type:** Create View

**URL:** `/^setup/navigation-menus/create/`

**Model:** NavigationMenu

**Record Name:** Navigation Menu

**Plural Name:** Navigation Menus

---

## What This Screen Is For

*TODO: Explain what this screen does in plain language.*

---

## What You See on This Screen

Add a screenshot of this screen.

## Fields on This Screen

Field	Type	Description
Last Modified At	Date & time	<i>TODO</i>
Last Modified By	Relationship (single) (optional)	<i>TODO</i>
Name	Text	<i>TODO</i>
Description	Text (optional)	Leave any notes about this menu here
Show Favorites	Yes/No	Show or hide the favorites submenu
Show Sales	Yes/No	Show or hide the sales submenu
Show Inventory	Yes/No	Show or hide the inventory submenu
Show Accounting	Yes/No	Show or hide the accounting submenu

Field	Type	Description
Show Manufacturing	Yes/No	Show or hide the manufacturing submenu
Show Management	Yes/No	Show or hide the management submenu
Show Reports	Yes/No	Show or hide the reports submenu
Show Setup	Yes/No	Show or hide the setup submenu
Show Service	Yes/No	Show or hide the service submenu

## System Fields (Managed Automatically)

⚙ These fields are managed by the system and usually do not need to be edited.

Field	Type	Description
Id	Auto number (ID)	<i>TODO</i>
Created At	Date & time	<i>TODO</i>
Created By	Relationship (single) (optional)	<i>TODO</i>
Custom Fields	Extra Fields JSONField	<i>TODO</i>
Deleted At	Date & time (optional)	<i>TODO</i>

## Common Tasks

- *TODO*

## Tips & Helpful Hints

☐ *TODO*

## Who Uses This Screen

- *TODO*

# Related Screens

- **List View** — [setup-navigation-menus](#)
  - **Detail View** — [setup-navigation-menus-id](#)
  - **Update View** — [setup-navigation-menus-id-update](#)
- 

# Advanced Notes

*TODO*

# setup-navigation-menus-id-update

## Navigation Menu – Update View

**Module:** Setup

**Screen Type:** Update View

**URL:** `/^setup/navigation-menus/<pk>/update/`

**Model:** NavigationMenu

**Record Name:** Navigation Menu

**Plural Name:** Navigation Menus

---

## What This Screen Is For

*TODO: Explain what this screen does in plain language.*

---

## What You See on This Screen

Add a screenshot of this screen.

## Fields on This Screen

Field	Type	Description
Last Modified At	Date & time	<i>TODO</i>
Last Modified By	Relationship (single) (optional)	<i>TODO</i>
Name	Text	<i>TODO</i>
Description	Text (optional)	Leave any notes about this menu here
Show Favorites	Yes/No	Show or hide the favorites submenu
Show Sales	Yes/No	Show or hide the sales submenu

Field	Type	Description
Show Inventory	Yes/No	Show or hide the inventory submenu
Show Accounting	Yes/No	Show or hide the accounting submenu
Show Manufacturing	Yes/No	Show or hide the manufacturing submenu
Show Management	Yes/No	Show or hide the management submenu
Show Reports	Yes/No	Show or hide the reports submenu
Show Setup	Yes/No	Show or hide the setup submenu
Show Service	Yes/No	Show or hide the service submenu

## System Fields (Managed Automatically)

⚙️ These fields are managed by the system and usually do not need to be edited.

Field	Type	Description
Id	Auto number (ID)	<i>TODO</i>
Created At	Date & time	<i>TODO</i>
Created By	Relationship (single) (optional)	<i>TODO</i>
Custom Fields	Extra Fields JSONField	<i>TODO</i>
Deleted At	Date & time (optional)	<i>TODO</i>

## Common Tasks

- *TODO*

## Tips & Helpful Hints

☐ *TODO*

## Who Uses This Screen

- *TODO*

## Related Screens

- **List View** — [setup-navigation-menus](#)
  - **Create View** — [setup-navigation-menus-create](#)
  - **Detail View** — [setup-navigation-menus-id](#)
- 

## Advanced Notes

*TODO*

# setup-navigation-menus-id

## Navigation Menu – Detail View

**Module:** Setup

**Screen Type:** Detail View

**URL:** `/^setup/navigation-menus/<pk>/`

**Model:** NavigationMenu

**Record Name:** Navigation Menu

**Plural Name:** Navigation Menus

---

## What This Screen Is For

*TODO: Explain what this screen does in plain language.*

---

## What You See on This Screen

Add a screenshot of this screen.

## Fields on This Screen

Field	Type	Description
Last Modified At	Date & time	<i>TODO</i>
Last Modified By	Relationship (single) (optional)	<i>TODO</i>
Name	Text	<i>TODO</i>
Description	Text (optional)	Leave any notes about this menu here
Show Favorites	Yes/No	Show or hide the favorites submenu
Show Sales	Yes/No	Show or hide the sales submenu
Show Inventory	Yes/No	Show or hide the inventory submenu
Show Accounting	Yes/No	Show or hide the accounting submenu

Field	Type	Description
Show Manufacturing	Yes/No	Show or hide the manufacturing submenu
Show Management	Yes/No	Show or hide the management submenu
Show Reports	Yes/No	Show or hide the reports submenu
Show Setup	Yes/No	Show or hide the setup submenu
Show Service	Yes/No	Show or hide the service submenu

## System Fields (Managed Automatically)

⚙️ These fields are managed by the system and usually do not need to be edited.

Field	Type	Description
Id	Auto number (ID)	<i>TODO</i>
Created At	Date & time	<i>TODO</i>
Created By	Relationship (single) (optional)	<i>TODO</i>
Custom Fields	Extra Fields JSONField	<i>TODO</i>
Deleted At	Date & time (optional)	<i>TODO</i>

## Common Tasks

- *TODO*

## Tips & Helpful Hints

☐ *TODO*

## Who Uses This Screen

- *TODO*

# Related Screens

- **List View** — [setup-navigation-menus](#)
  - **Create View** — [setup-navigation-menus-create](#)
  - **Update View** — [setup-navigation-menus-id-update](#)
- 

# Advanced Notes

*TODO*

# setup-navigation-menus

## Navigation Menu – List View

**Module:** Setup

**Screen Type:** List View

**URL:** `/^setup/navigation-menus/`

**Model:** NavigationMenu

**Record Name:** Navigation Menu

**Plural Name:** Navigation Menus

---

## What This Screen Is For

*TODO: Explain what this screen does in plain language.*

---

## What You See on This Screen

Add a screenshot of this screen.

## Fields on This Screen

Field	Type	Description
Last Modified At	Date & time	<i>TODO</i>
Last Modified By	Relationship (single) (optional)	<i>TODO</i>
Name	Text	<i>TODO</i>
Description	Text (optional)	Leave any notes about this menu here
Show Favorites	Yes/No	Show or hide the favorites submenu
Show Sales	Yes/No	Show or hide the sales submenu
Show Inventory	Yes/No	Show or hide the inventory submenu
Show Accounting	Yes/No	Show or hide the accounting submenu

Field	Type	Description
Show Manufacturing	Yes/No	Show or hide the manufacturing submenu
Show Management	Yes/No	Show or hide the management submenu
Show Reports	Yes/No	Show or hide the reports submenu
Show Setup	Yes/No	Show or hide the setup submenu
Show Service	Yes/No	Show or hide the service submenu

## System Fields (Managed Automatically)

⚙ These fields are managed by the system and usually do not need to be edited.

Field	Type	Description
Id	Auto number (ID)	<i>TODO</i>
Created At	Date & time	<i>TODO</i>
Created By	Relationship (single) (optional)	<i>TODO</i>
Custom Fields	Extra Fields JSONField	<i>TODO</i>
Deleted At	Date & time (optional)	<i>TODO</i>

## Common Tasks

- *TODO*

## Tips & Helpful Hints

☐ *TODO*

## Who Uses This Screen

- *TODO*

# Related Screens

- **Create View** — [setup-navigation-menus-create](#)
  - **Detail View** — [setup-navigation-menus-id](#)
  - **Update View** — [setup-navigation-menus-id-update](#)
- 

# Advanced Notes

*TODO*

# setup-notifications-create

## Notification – Create View

**Module:** Setup

**Screen Type:** Create View

**URL:** `/^setup/notifications/create/`

**Model:** Notification

**Record Name:** Notification

**Plural Name:** Notifications

---

## What This Screen Is For

*TODO: Explain what this screen does in plain language.*

---

## What You See on This Screen

Add a screenshot of this screen.

## Fields on This Screen

Field	Type	Description
Last Modified At	Date & time	<i>TODO</i>
Last Modified By	Relationship (single) (optional)	<i>TODO</i>
User	Relationship (single)	The user that this notification is for
Label	Text	The title or description of this notification
Body	Long text	The message delivered by this notification
Notification Link	Text (optional)	The destination that this notification will direct to

Field	Type	Description
Dismissed	Yes/No	Once dismissed, this notification will be marked as read and will not be highlighted or contribute to the list of unread notifications

## System Fields (Managed Automatically)

⚙️ These fields are managed by the system and usually do not need to be edited.

Field	Type	Description
Id	Auto number (ID)	<i>TODO</i>
Created At	Date & time	<i>TODO</i>
Created By	Relationship (single) (optional)	<i>TODO</i>
Custom Fields	Extra Fields JSONField	<i>TODO</i>
Deleted At	Date & time (optional)	<i>TODO</i>

## Common Tasks

- *TODO*

## Tips & Helpful Hints

☐ *TODO*

## Who Uses This Screen

- *TODO*

## Related Screens

- **List View** — [setup-notifications](#)

- **Detail View** — [setup-notifications-id](#)
  - **Update View** — [setup-notifications-id-update](#)
- 

# Advanced Notes

*TODO*

# setup-notifications-id-update

## Notification – Update View

**Module:** Setup

**Screen Type:** Update View

**URL:** `/^setup/notifications/<pk>/update/`

**Model:** Notification

**Record Name:** Notification

**Plural Name:** Notifications

---

## What This Screen Is For

*TODO: Explain what this screen does in plain language.*

---

## What You See on This Screen

Add a screenshot of this screen.

## Fields on This Screen

Field	Type	Description
Last Modified At	Date & time	<i>TODO</i>
Last Modified By	Relationship (single) (optional)	<i>TODO</i>
User	Relationship (single)	The user that this notification is for
Label	Text	The title or description of this notification
Body	Long text	The message delivered by this notification
Notification Link	Text (optional)	The destination that this notification will direct to

Field	Type	Description
Dismissed	Yes/No	Once dismissed, this notification will be marked as read and will not be highlighted or contribute to the list of unread notifications

## System Fields (Managed Automatically)

⚙️ These fields are managed by the system and usually do not need to be edited.

Field	Type	Description
Id	Auto number (ID)	<i>TODO</i>
Created At	Date & time	<i>TODO</i>
Created By	Relationship (single) (optional)	<i>TODO</i>
Custom Fields	Extra Fields JSONField	<i>TODO</i>
Deleted At	Date & time (optional)	<i>TODO</i>

## Common Tasks

- *TODO*

## Tips & Helpful Hints

☐ *TODO*

## Who Uses This Screen

- *TODO*

## Related Screens

- **List View** — [setup-notifications](#)

- **Create View** — [setup-notifications-create](#)
  - **Detail View** — [setup-notifications-id](#)
- 

# Advanced Notes

*TODO*

# setup-notifications-id

## Notification – Detail View

**Module:** Setup

**Screen Type:** Detail View

**URL:** `/^setup/notifications/<pk>/`

**Model:** Notification

**Record Name:** Notification

**Plural Name:** Notifications

---

## What This Screen Is For

*TODO: Explain what this screen does in plain language.*

---

## What You See on This Screen

Add a screenshot of this screen.

## Fields on This Screen

Field	Type	Description
Last Modified At	Date & time	<i>TODO</i>
Last Modified By	Relationship (single) (optional)	<i>TODO</i>
User	Relationship (single)	The user that this notification is for
Label	Text	The title or description of this notification
Body	Long text	The message delivered by this notification
Notification Link	Text (optional)	The destination that this notification will direct to

Field	Type	Description
Dismissed	Yes/No	Once dismissed, this notification will be marked as read and will not be highlighted or contribute to the list of unread notifications

## System Fields (Managed Automatically)

⚙️ These fields are managed by the system and usually do not need to be edited.

Field	Type	Description
Id	Auto number (ID)	<i>TODO</i>
Created At	Date & time	<i>TODO</i>
Created By	Relationship (single) (optional)	<i>TODO</i>
Custom Fields	Extra Fields JSONField	<i>TODO</i>
Deleted At	Date & time (optional)	<i>TODO</i>

## Common Tasks

- *TODO*

## Tips & Helpful Hints

☐ *TODO*

## Who Uses This Screen

- *TODO*

## Related Screens

- **List View** — [setup-notifications](#)

- **Create View** — [setup-notifications-create](#)
  - **Update View** — [setup-notifications-id-update](#)
- 

# Advanced Notes

*TODO*

# setup-notifications

## Notifications – List View

**Module:** Setup

**Screen Type:** List View

**URL:** `/^setup/notifications/`

**Model:** Notification

**Record Name:** Notification

**Plural Name:** Notifications

---

## What This Screen Is For

*TODO: Explain what this screen does in plain language.*

---

## What You See on This Screen

 *Add a screenshot of this screen.*

## Fields on This Screen

Field	Type	Description
Last Modified At	Date & time	<i>TODO</i>
Last Modified By	Relationship (single) (optional)	<i>TODO</i>
User	Relationship (single)	The user that this notification is for
Label	Text	The title or description of this notification
Body	Long text	The message delivered by this notification
Notification Link	Text (optional)	The destination that this notification will direct to

Field	Type	Description
Dismissed	Yes/No	Once dismissed, this notification will be marked as read and will not be highlighted or contribute to the list of unread notifications

## System Fields (Managed Automatically)

⚙️ These fields are managed by the system and usually do not need to be edited.

Field	Type	Description
Id	Auto number (ID)	<i>TODO</i>
Created At	Date & time	<i>TODO</i>
Created By	Relationship (single) (optional)	<i>TODO</i>
Custom Fields	Extra Fields JSONField	<i>TODO</i>
Deleted At	Date & time (optional)	<i>TODO</i>

## Common Tasks

- *TODO*

## Tips & Helpful Hints

☐ *TODO*

## Who Uses This Screen

- *TODO*

## Related Screens

- **Create View** — [setup-notifications-create](#)

- **Detail View** — [setup-notifications-id](#)
  - **Update View** — [setup-notifications-id-update](#)
- 

# Advanced Notes

*TODO*

# setup-users-create

## User – Create View

**Module:** Setup

**Screen Type:** Create View

**URL:** `/^setup/users/create/`

**Model:** User

**Record Name:** User

**Plural Name:** Users

---

## What This Screen Is For

*TODO: Explain what this screen does in plain language.*

---

## What You See on This Screen

Add a screenshot of this screen.

## Fields on This Screen

Field	Type	Description
Password	Text	<i>TODO</i>
Last Login	Date & time (optional)	<i>TODO</i>
Superuser Status	Yes/No	Designates that this user has all permissions without explicitly assigning them.
Username	Text	Required. 150 characters or fewer. Letters, digits and @/./+/_ only.
First Name	Text	<i>TODO</i>
Last Name	Text	<i>TODO</i>

Field	Type	Description
Email Address	Text	<i>TODO</i>
Staff Status	Yes/No	Designates whether the user can log into this admin site.
Active	Yes/No	Designates whether this user should be treated as active. Unselect this instead of deleting accounts.
Date Joined	Date & time	<i>TODO</i>

## System Fields (Managed Automatically)

⚙️ These fields are managed by the system and usually do not need to be edited.

Field	Type	Description
Id	Auto number (ID)	<i>TODO</i>

## Common Tasks

- *TODO*

## Tips & Helpful Hints

📄 *TODO*

## Who Uses This Screen

- *TODO*

## Related Screens

- **List View** — [setup-users](#)
- **Detail View** — [setup-users-id](#)

- **Update View** — [setup-users-id-update](#)
  - **Update View** — [setup-users-id-password](#)
- 

# Advanced Notes

*TODO*

# setup-users-id-password

## User – Update View

**Module:** Setup

**Screen Type:** Update View

**URL:** `/^setup/users/<pk>/password/`

**Model:** User

**Record Name:** User

**Plural Name:** Users

---

## What This Screen Is For

*TODO: Explain what this screen does in plain language.*

---

## What You See on This Screen

Add a screenshot of this screen.

## Fields on This Screen

Field	Type	Description
Password	Text	<i>TODO</i>
Last Login	Date & time (optional)	<i>TODO</i>
Superuser Status	Yes/No	Designates that this user has all permissions without explicitly assigning them.
Username	Text	Required. 150 characters or fewer. Letters, digits and @/./+/_ only.
First Name	Text	<i>TODO</i>
Last Name	Text	<i>TODO</i>

Field	Type	Description
Email Address	Text	<i>TODO</i>
Staff Status	Yes/No	Designates whether the user can log into this admin site.
Active	Yes/No	Designates whether this user should be treated as active. Unselect this instead of deleting accounts.
Date Joined	Date & time	<i>TODO</i>

## System Fields (Managed Automatically)

⚙️ These fields are managed by the system and usually do not need to be edited.

Field	Type	Description
Id	Auto number (ID)	<i>TODO</i>

## Common Tasks

- *TODO*

## Tips & Helpful Hints

📄 *TODO*

## Who Uses This Screen

- *TODO*

## Related Screens

- **List View** — [setup-users](#)
- **Create View** — [setup-users-create](#)

- **Detail View** — [setup-users-id](#)
  - **Update View** — [setup-users-id-update](#)
- 

# Advanced Notes

*TODO*

# setup-users-id-update

## User – Update View

**Module:** Setup

**Screen Type:** Update View

**URL:** `/^setup/users/<pk>/update/`

**Model:** User

**Record Name:** User

**Plural Name:** Users

---

## What This Screen Is For

*TODO: Explain what this screen does in plain language.*

---

## What You See on This Screen

Add a screenshot of this screen.

## Fields on This Screen

Field	Type	Description
Password	Text	<i>TODO</i>
Last Login	Date & time (optional)	<i>TODO</i>
Superuser Status	Yes/No	Designates that this user has all permissions without explicitly assigning them.
Username	Text	Required. 150 characters or fewer. Letters, digits and @/./+/_ only.
First Name	Text	<i>TODO</i>
Last Name	Text	<i>TODO</i>

Field	Type	Description
Email Address	Text	<i>TODO</i>
Staff Status	Yes/No	Designates whether the user can log into this admin site.
Active	Yes/No	Designates whether this user should be treated as active. Unselect this instead of deleting accounts.
Date Joined	Date & time	<i>TODO</i>

## System Fields (Managed Automatically)

⚙️ These fields are managed by the system and usually do not need to be edited.

Field	Type	Description
Id	Auto number (ID)	<i>TODO</i>

## Common Tasks

- *TODO*

## Tips & Helpful Hints

📄 *TODO*

## Who Uses This Screen

- *TODO*

## Related Screens

- **List View** — [setup-users](#)
- **Create View** — [setup-users-create](#)

- **Detail View** — [setup-users-id](#)
  - **Update View** — [setup-users-id-password](#)
- 

# Advanced Notes

*TODO*

# setup-users-id

## User – Detail View

**Module:** Setup

**Screen Type:** Detail View

**URL:** `/^setup/users/<pk>/`

**Model:** User

**Record Name:** User

**Plural Name:** Users

---

## What This Screen Is For

*TODO: Explain what this screen does in plain language.*

---

## What You See on This Screen

Add a screenshot of this screen.

## Fields on This Screen

Field	Type	Description
Password	Text	<i>TODO</i>
Last Login	Date & time (optional)	<i>TODO</i>
Superuser Status	Yes/No	Designates that this user has all permissions without explicitly assigning them.
Username	Text	Required. 150 characters or fewer. Letters, digits and @/./+/_ only.
First Name	Text	<i>TODO</i>
Last Name	Text	<i>TODO</i>

Field	Type	Description
Email Address	Text	<i>TODO</i>
Staff Status	Yes/No	Designates whether the user can log into this admin site.
Active	Yes/No	Designates whether this user should be treated as active. Unselect this instead of deleting accounts.
Date Joined	Date & time	<i>TODO</i>

## System Fields (Managed Automatically)

⚙️ These fields are managed by the system and usually do not need to be edited.

Field	Type	Description
Id	Auto number (ID)	<i>TODO</i>

## Common Tasks

- *TODO*

## Tips & Helpful Hints

📄 *TODO*

## Who Uses This Screen

- *TODO*

## Related Screens

- **List View** — [setup-users](#)
- **Create View** — [setup-users-create](#)

- **Update View** — [setup-users-id-update](#)
  - **Update View** — [setup-users-id-password](#)
- 

# Advanced Notes

*TODO*

# setup-users

## Users – List View

**Module:** Setup

**Screen Type:** List View

**URL:** `/^setup/users/`

**Model:** User

**Record Name:** User

**Plural Name:** Users

---

## What This Screen Is For

*TODO: Explain what this screen does in plain language.*

---

## What You See on This Screen

Add a screenshot of this screen.

## Fields on This Screen

Field	Type	Description
Password	Text	<i>TODO</i>
Last Login	Date & time (optional)	<i>TODO</i>
Superuser Status	Yes/No	Designates that this user has all permissions without explicitly assigning them.
Username	Text	Required. 150 characters or fewer. Letters, digits and @/./+/-/_ only.
First Name	Text	<i>TODO</i>
Last Name	Text	<i>TODO</i>

Field	Type	Description
Email Address	Text	<i>TODO</i>
Staff Status	Yes/No	Designates whether the user can log into this admin site.
Active	Yes/No	Designates whether this user should be treated as active. Unselect this instead of deleting accounts.
Date Joined	Date & time	<i>TODO</i>

## System Fields (Managed Automatically)

⚙️ These fields are managed by the system and usually do not need to be edited.

Field	Type	Description
Id	Auto number (ID)	<i>TODO</i>

## Common Tasks

- *TODO*

## Tips & Helpful Hints

📄 *TODO*

## Who Uses This Screen

- *TODO*

## Related Screens

- **Create View** — [setup-users-create](#)
- **Detail View** — [setup-users-id](#)

- **Update View** — [setup-users-id-update](#)
  - **Update View** — [setup-users-id-password](#)
- 

# Advanced Notes

*TODO*